













DRIFTING & TUNNELING EQUIPMENT

ROPE THREAD R32 1/4" SERIES





BIT	Carbide shape	D		Part No	Approx. Weight	
		mm	in		Kg	lb
	Round	45	1 3/4"		0.8	1.7
	Spike	45	1 3/4"		0.8	1.7
	Round	51	2"		1.0	2.2
	Spike	51	2"		1.0	2.2
	Spike	57	2 1/4"		1.2	2.7
	Round	45	1 3/4"		0.8	1.7
	Spike	51	2"		1.0	2.2
	Spike	41	1 5/8"		0.6	1.3
	Round	43	1 11/16"		0.6	1.3
	Round	45	1 3/4"		0.8	1.7
	Round	48	1 7/8"		0.9	1.9
	Round	51	2"		0.9	2.1
	Round	43	1 11/16"		0.6	1.3
	Round	45	1 3/4"		0.7	1.6
	Round	48	1 7/8"		0.8	1.8
	Round	51	2"		1.0	2.2



BIT	Carbide shape	D		Part No	Approx. Weight	
		mm	in		Kg	lb
	Spike	45	1 3/4"		0.8	1.7
	Balistic	45	1 3/4"		0.8	1.7
	Spike	48	1 7/8"		0.9	2.0
	Balistic	48	1 7/8"		0.9	2.0
	Spike	51	2"		0.9	2.1
Retrac flat face 	Round	51	2"		2.2	4.9
	Round	57	2 1/4"		2.7	6.0
	Round	64	2 1/2"		2.8	6.2
Drop center 	Round	76	3"		2.0	4.5
Cross type 		41	1 5/8"		0.6	1.3
		45	1 3/4"		0.7	1.6
		48	1 7/8"		0.9	2.0
		51	2"		0.9	2.1
		57	2 1/4"		1.1	2.4
X-type 		64	2 1/2"		1.3	2.9
		76	3"		1.5	3.3


DRIFTING ROD	H		L		Part No	Approx. Weight	
	mm	in	mm	ft/in		Kg	lb
	32	1 1/4"	3090	10' 2"		19.7	43.8
			3700	12' 2"		23.4	52.1
			4920	16' 2"		27.2	60.5
	32	1 1/4"	3700	12' 2"		21.4	47.6
			4310	14' 2"		27.1	60.2
			4920	16' 2"		31.3	69.5


AUSTRALASIAN MINING SERVICES PTY LTD



DRIFTING ROD	H		L		Part No	Approx. Weight	
	mm	in	mm	ft/in		Kg	lb
 R32 HEX-35 T38	35	1 3/8"	4920	16' 2"		36.9	82.0
			5530	18' 2"		41.3	91.8
 R32 HEX-35 R38	35	1 3/8"	4310	14' 2"		30.3	67.3
			4920	16' 2"		34.4	76.4
			5530	18' 2"		37.8	84.0

EXTENSION ROD	D		L		Part No	Approx. Weight	
	mm	in	mm	ft/in		Kg	lb
 R32 ROUND-32 R32	32	1 1/4"	1220	4'		6.7	14.9
			3050	8'		12.9	28.7
			3660	10'		16.4	36.5
			3660	12'		19.8	44.1
 R32 ROUND-32 R32	32	1 1/4"	1220	4'		8.0	17.8
			1830	6'		11.5	25.6
			3050	10'		14.3	31.8
			3660	12'		17.2	38.2

COUPLING SLEEVE	D		L		Part No	Approx. Weight	
	mm	in	mm	in		Kg	lb
	45	2 3/4"	160	6 1/4"		1.0	2.2
	54	2 1/8"	170	6 3/4"		1.7	3.8
	54	2 1/8"	190	7 1/2"		1.7	3.8

ADAPTER COUPLING	D		L		Part No	Approx. Weight	
	mm	in	mm	in		Kg	lb
	54	2 1/8"	181	7 9/16"		1.1	2.4
	54	2 1/8"	188	7 13/16"		1.2	2.7